



铜峰电子

RPP/RRPÄ+k ī ž+^ G ŷ n6• O'%'2Í L;º7Ò

1 Ä (©&é

G÷+XF CµQ 4B Ö+e 4x w6Š6Š l' A72 ïý £7l# ü A ù h6< @ Ä§ 9 È;` w 0 W - È
x ñ0ªLÉ). x f w 0 Ä ØE j jQ Ä ûCX •6G ? Ä > J/ý+e é ~#"\$="é-(é W - È C § f Ä

2 Ä Ä+X93 \$

k?± Ä+X ¾7l4è = 8#""é ûCX F ~7l#""é ûCX+e é ~ È²EÄ +e3+5 ,` ī>• - Äw » Ä
% # Ä6V 81y
]Q »+e È+e é ~ Ä+e é ? Ä O ~ fFP1y Ä

3 Ä;`7l j (?ô l

?ô | Size 9L 10L



1 X P E H	/ H W W H	1 X P E H	/ H W W H
-0.4	B	+0.1	V
-0.3	C	+0.2	W
-0.2	D	+0.3	X
-0.1	E	+0.4	Y
0	L	+0.5	Z

/j » Ö MPP8D/j WM\È Ö j - PxRPH2L>/j MM\È Ö j 12.0 - P


5 Å ° _ (C±Ä" » 1 Å

N◎-		... }	" » I		#(B 7 ö
2Ç F7I ÄMŽ+e ... 4*6 Å RRPP APP					
ö Ö		g/• ³	0.910		GB/T 13542.2-2009/5
'Ä&é			170		GB/T 13542.2-2009/22.1
ù h j Ö	4å A MD	MPa	150		GB/T 13542.2-2009/25
	Z A TD	MPa	300		GB/T 13542.2-2009/25
Ý>ò hK-)	4å A TM	%	150		GB/T 13542.2-2009/25
	Z A TD	%	50		GB/T 13542.2-2009/25
i W QGü	4å A MD	MPa	2600		GB/T 13542.2-2009/25
	Z A TD	MPa	4500		GB/T 13542.2-2009/25
0ºLÉ)-	£ w l	%	9.0		GB/T 13542.2-2009/35
' f5Y)-	4å A MD	%	3.0		GB/T 13542.2-2009/23
	Z A TD	%	1.0		
>~M'2Ç3 Ö	RRPP	- P	0.40		GB/T 13542.2-2009/8
	RPP	- P	0.30/0.40		GB/T 13542.2-2009/8
û+e j Ö Ä £ w l Å	9 - P		530		GB/T 13542.2-2009/18.2.2
TM 3+ (M%/ Ø			0.9/0.8		GB/T 100061988
-() û+e h			2.2		GB/T 13542.2-2009/17.1
f0 +eLk)-	j . P		10 ¹⁶		GB/T 13542.2-2009/16.1
û+e •6G 3P			2.0×10 ⁻⁴		GB/T 13542.2-2009/17.1



1 : ò MŽ ° _ • Ap È õ Ë ö63

6 Å +e a&é





7 Å F-(© W

& 6	S S P
"_ [Gy	S S P
"d [Gy	S S P

8 Å ù h j Ö "4í



铜峰电子





铜峰电子

BOPP Film for Capacitor

1 1 K



:F 71®, '9 £ Ÿ

151312106Ö >~7l §5F '
-15 >~+O x¤ - _ 2015¤
-1312 >~W7l §5F '
-106 >~?7l § 6 7, ' }

RRPP Ö >~;7l, '2« »
- RPP >~...M'2Ç F7l
- RRPP>~üM'2Ç F7l

13L Ö >~70 È Ö Ä q r# Å

280 Ö >~7l §, 'í Ö

3550 Ö >~7l §, 'K- Ö

H1y ñ Ö >~B 7l §, '1y4x

10.8 Ö >~B 7l §, 'GýGý (kg)

2015¤ 5 8 8 Ö >~+O xB 7l §, ' O

%o Ö >~6 7B 7l §, ' * 46

02 Ö >~B öP¼B 7l §, ' öP¼ ^ '